

Risk Assessment ~ Chigwell Row - Inflatable Jousting

Location/activity (brief description): Chigwell Row Camp Site Activity: Jousting (Inflatable)	Date of Risk Assessment: Jan 2020	Review date: Jan 2021	Compiled by: YS & TH
---	-----------------------------------	-----------------------	----------------------

Hazards <i>What could cause harm or damage?</i>	Who or what is at risk of being affected and how?	What are you already doing? <i>How have you reduced the risk already?</i>	Likelihood of Risk Occurring Score:1-5	Severity of Risk Score 1-5	=Level of risk Likelihood x severity	Are further controls necessary? <i>What else needs to happen to reduce the risk to an acceptable level?</i>	Action by: name & date
Too many participants/uncontrolled usage	Participants	Adult leader to supervise group at all times. Activity only set up when required and booked	2	2	4		Adult leader: duration of activity
Person tripping over wire	All	Ensure cable is visible. Cordon off rear of inflatable area where generator/electricity supply is.	2	2	4	Adults to ensure children don't run around the back of the inflatable	Adult leader: duration of activity
Injury to person during jousting	Participant	Safety guidelines provided - to ROSPA standard. Two people at a time on the inflatable. Inflatable secured to ground by metal pegs/guy ropes Set up on as level	2	3	6	Competent adult required to supervise at all times Be aware of weather conditions and close slide if in any doubt. Keep a watch on fuel if using generator. Do not allow to run dry.	Adult leader: duration of activity

Hazards <i>What could cause harm or damage?</i>	Who or what is at risk of being affected and how?	What are you already doing? <i>How have you reduced the risk already?</i>	Likelihood of Risk Occurring Score: 1-5	Severity of Risk Score 1-5	=Level of risk Likelihood x severity	Are further controls necessary? <i>What else needs to happen to reduce the risk to an acceptable level?</i>	Action by: name & date
		<p>ground as possible</p> <p>Participant to wear safety head wear provided.</p> <p>Users required to have a watcher at all times while inflated</p> <p>Emergency whistle provided -</p> <p>emergency signal repeated blasts on whistle all participants must exit the slide immediately.</p> <p>Users advised of the following:</p> <p>If power fails encourage participants to exit immediately. You have about 1 minute to get participants clear before inflatable deflates.</p> <p>Ensure that the slide bed is clear of</p>					

Hazards <i>What could cause harm or damage?</i>	Who or what is at risk of being affected and how?	What are you already doing? <i>How have you reduced the risk already?</i>	Likelihood of Risk Occurring Score: 1-5	Severity of Risk Score 1-5	=Level of risk Likelihood x severity	Are further controls necessary? <i>What else needs to happen to reduce the risk to an acceptable level?</i>	Action by: name & date
		debris - eg twigs, leaves, or items dropped previously Ensure that participants are supervised at all times. Remove all hard and sharp objects from your person including all jewellery and spectacles. Remove footwear - socks or bare feet only. Do not bounce on the bed or over the sides. Do not place or tie any objects on the inflatable while in use. No food or drink near to castle					

Hazards <i>What could cause harm or damage?</i>	Who or what is at risk of being affected and how?	What are you already doing? <i>How have you reduced the risk already?</i>	Likelihood of Risk Occurring Score: 1-5	Severity of Risk Score 1-5	=Level of risk Likelihood x severity	Are further controls necessary? <i>What else needs to happen to reduce the risk to an acceptable level?</i>	Action by: name & date
Injury to person inflating/deflating inflatable	Staff/volunteers	3 people to set up when possible. Trolley provided to transport equipment.	2	3	6	Staff attend in house training of safe set up procedures.	Chigwell Row site staff: start/end of activity

Risk assessment checked by member of Risk Group	Date	Signed
---	------	--------

Risk Assessment scoring ~

A scoring system has been used to determine level of risk. A score (1-5) has been given for the **likelihood/frequency** of the exposure to risk and a score [1-5] to the **severity/consequence** of the outcome. By multiplying the two scores, a score can then be calculated to determine the “level” of risk, which can inform decisions as to whether any further actions are required to reduce the risk.

E.g. Likelihood/frequency of exposure to risk [2] x Severity/Consequences of outcome [2] =

4

Likelihood	Severity /Consequences				
	1 None	2 Minor	3 Moderate	4 Major	5 Catastrophic

1 - Rare	1	2	3	4	5
2- Unlikely	2	4	6	8	10
3 - Possible	3	6	9	12	15
4 - Likely	4	8	12	16	20
5 - Almost Certain	5	10	15	20	25

Green - Risk well managed Amber - Further controls should be put in place Red - This activity should NOT take place until risk is significantly reduced