



Risk Assessment ~ Chigwell Row - Climbing (Outdoor)

Location/activity (brief description): Climbing Tower, Chigwell Row Camp Site Activity: Climbing	Date of Risk Assessment: Jan 2020	Review date: Jan 2021	Compiled by: YS & TH
--	-----------------------------------	-----------------------	----------------------

Hazards <i>What could cause harm or damage?</i>	Who or what is at risk of being affected and how?	What are you already doing? <i>How have you reduced the risk already?</i>	Likelihood of Risk Occurring Score:1-5	Severity of Risk Score 1-5	=Level of risk Likelihood x severity	Are further controls necessary? <i>What else needs to happen to reduce the risk to an acceptable level?</i>	Action by: name & date
Participants numbers exceed permitted level	All	Maximum number of participants set for this activity - 12 (plus adult leaders)	1	2	2		Instructor: Ongoing
Equipment tampered with	Participants	All equipment locked away when not in use. Tower door and compound locked when no instructor present. No access out of session time.	1	4	4	Equipment subject to monthly checks and checked daily before and during use.	Instructor: Ongoing

Hazards <i>What could cause harm or damage?</i>	Who or what is at risk of being affected and how?	What are you already doing? <i>How have you reduced the risk already?</i>	Likelihood of Risk Occurring Score:1-5	Severity of Risk Score 1-5	=Level of risk Likelihood x severity	Are further controls necessary? <i>What else needs to happen to reduce the risk to an acceptable level?</i>	Action by: name & date
Injury from sport	Participants	<p>Trained Instructors to Girlguiding level 1 or above or scout equivalent.</p> <p>Competent demonstration of climbing prior to assent and constantly monitored. Instructor to discourage client from climbing off route.</p> <p>Instructor to lower in a controlled fashion and ensure the students walk down the wall sensibly</p> <p>Instructor to ensure that all belays are safe and users are competent and</p>	2	4	8	<p>Hair ties (spares available)</p> <p>Let instructor know of anyone with extra needs</p> <p>Thorough briefing takes place before activity commences.</p>	Instructor: Ongoing

Hazards <i>What could cause harm or damage?</i>	Who or what is at risk of being affected and how?	What are you already doing? <i>How have you reduced the risk already?</i>	Likelihood of Risk Occurring Score:1-5	Severity of Risk Score 1-5	=Level of risk Likelihood x severity	Are further controls necessary? <i>What else needs to happen to reduce the risk to an acceptable level?</i>	Action by: name & date
		<p>understand correct usage and techniques.</p> <p>All long hair to be tied back and loose dangling clothing tucked in.</p> <p>All dead ropes should be backed up if peer belay system.</p> <p>Instructor to ensure no one 'Tops Out'.</p>					
Person injured from falling object	Participants	Helmets worn inside climbing area. All items secure at top of tower	2	3	6	Climbing participant does not take any additional/unnecessary items whilst climbing	Instructor: Ongoing
Ill Fitting Equipment	Participants	Group briefed about safety and equipment.	1	3	3	Kit checked before leaving ground	Instructor: Ongoing

Hazards <i>What could cause harm or damage?</i>	Who or what is at risk of being affected and how?	What are you already doing? <i>How have you reduced the risk already?</i>	Likelihood of Risk Occurring Score:1-5	Severity of Risk Score 1-5	=Level of risk Likelihood x severity	Are further controls necessary? <i>What else needs to happen to reduce the risk to an acceptable level?</i>	Action by: name & date
Karabiner left undone	Participants	Instructors trained in safety. Check before and during use	2	2	4		Instructor: Ongoing
Person injured by another user of the tower	All	No entry to area without instructor. All 4 activities on tower separately accessible from entrance	2	3	6	Adult with group required to supervise group on the ground while waiting for turns.	Instructor: Ongoing
Person trip over support wire for tower	All	Wooden barrier around wire painted white so can be seen in dark	1	3	3	Adult with group required to supervise group on the ground while waiting for turns. Visibility of fence forms one of the regular monthly maintenance checks.	Instructor: Ongoing
Person straying into tower area	All	Fence and Gate around tower area. No one allowed inside area unless part of the session. Compound and	1	3	3	Adult with group required to supervise group on the ground while waiting for turns.	Instructor: Ongoing

Hazards <i>What could cause harm or damage?</i>	Who or what is at risk of being affected and how?	What are you already doing? <i>How have you reduced the risk already?</i>	Likelihood of Risk Occurring Score:1-5	Severity of Risk Score 1-5	=Level of risk Likelihood x severity	Are further controls necessary? <i>What else needs to happen to reduce the risk to an acceptable level?</i>	Action by: name & date
		tower to be locked at all times when tower not in use.					
Weather Conditions	All	When top of the tower is not clearly visible from the bottom or vice versa due to bad weather all activity must stop. No abseil in Ice or Snow Conditions when ground is slippery	1	3	3	Group made aware that activity is subject to weather conditions. Alternative activity offered is weather conditions indicate unacceptable level of risk with this activity.	Instructor: Ongoing
Instructor Protocol	All	All instructors aware of risk assessment, tower protocol and session plans for Chigwell Row Tower	1	3	3		Instructor: Ongoing

Risk assessment checked by member of Risk Group	Date	Signed
---	------	--------

Risk Assessment scoring ~

A scoring system has been used to determine level of risk. A score (1-5) has been given for the **likelihood/frequency** of the exposure to risk and a score [1-5] to the **severity/consequence** of the outcome. By multiplying the two scores, a score can then be calculated to determine the “level” of risk, which can inform decisions as to whether any further actions are required to reduce the risk.

E.g. Likelihood/frequency of exposure to risk [2] x Severity/Consequences of outcome [2] =

4

Likelihood	Severity /Consequences				
	1 None	2 Minor	3 Moderate	4 Major	5 Catastrophic
1 - Rare	1	2	3	4	5
2- Unlikely	2	4	6	8	10
3 - Possible	3	6	9	12	15

4 - Likely	4	8	12	16	20
5 - Almost Certain	5	10	15	20	25

Green - Risk well managed
 Amber - Further controls should be put in place
 Red - This activity should NOT take place until risk is significantly reduced